

SERKAN TAPAN DOÇENT

E-Posta Adresi	:	serkantapan70@gmail.com
Telefon (İş)	:	3122863601/1105
Telefon (Cep)	:	
Faks	:	
Adres	:	Yüksek İhtisas Üniversitesi Oğuzlar mah. 1377 sk. No:21 Balgat/ANKARA

Öğrenim Durumu

Tıpta Uzmanlık 1998-2002	GÜLHANE ASKERİ TIP AKADEMİSİ ASKERİ TIP FAKÜLTESİ/TEMEL TIP BİLİMLERİ BÖLÜMÜ/TIBBİ BİYOKİMYA ANABİLİM DALI Tez adı: Sukroz geçirgenlik testi ve klinik değeri (2002) Tez Danışmanı:(İSMAİL KURT)
Lisans 1988-1995	GÜLHANE ASKERİ TIP AKADEMİSİ ASKERİ TIP FAKÜLTESİ/ASKERİ TIP PR. (ERKEK)

Görevler

DOÇENT 2015	YÜKSEK İHTİSAS ÜNİVERSİTESİ/TIP FAKÜLTESİ/TEMEL TIP BİLİMLERİ BÖLÜMÜ/TIBBİ BİYOKİMYA ANABİLİM DALI)
DOÇENT 2013-2015	GÜLHANE ASKERİ TIP AKADEMİSİ/ASKERİ TIP FAKÜLTESİ/TEMEL TIP BİLİMLERİ BÖLÜMÜ/TIBBİ BİYOKİMYA ANABİLİM DALI)
YARDIMCI DOÇENT 2006-2013	GÜLHANE ASKERİ TIP AKADEMİSİ/ASKERİ TIP FAKÜLTESİ/TEMEL TIP BİLİMLERİ BÖLÜMÜ/TIBBİ BİYOKİMYA ANABİLİM DALI)

Eserler

1-SCI-Expanded (Science Citation Index-Expanded), tarafından taranan dergilerde yayımlanan makaleler

- 1) Assessment of the role of serum ischemia-modified albumin in obstructive sleep apnea in comparison with interleukin-6. Dogan D, Ocal N, Aydogan M, Tasci C, Arslan Y, **Tapan S**, Yetkin S, Bilgic H. **Postgrad Med. 2016;128(6):603-8.**

- 2) The role of urinary nerve growth factor for the diagnosis and assessment of the biofeedback success in children with dysfunctional voiding. Ergin G, Kibar Y, Ebiloğlu T, Irkılata HC, Kopru B, Kaya E, Uyanık M, **Tapan S**, Dayanc MM. **J Pediatr Urol.** 2016 ;12(2):118.1-6.
- 3) Importance of C-3 Epimer of 25-Hydroxyvitamin D to Assess Vitamin D Deficiency in Children With Fractures. **Tapan S**, Sertoglu E. **Pediatr Emerg Care.** 2015 ;31(12):22.
- 4) In vitro efficacy of frozen erythrocytes: implementation of new strategic blood stores to alleviate resource shortage. Cetinkaya RA, Yılmaz S, Eker I, Ünlü A, Uyanık M, **Tapan S**, Pekoğlu A, Pekel AA, Ertaş Z, Gürsel O, Muşabak UH, Yılmaz S, Avcı İY, Çetin AT, Eyigün CP. **Turk J Med Sci.** 2015;45(3):638-43.
- 5) Insulin Resistance but Not Visceral Adiposity Index Is Associated with Liver Fibrosis in Nondiabetic Subjects with Nonalcoholic Fatty Liver Disease. Ercin CN, Dogru T, Genc H, Celebi G, Aslan F, Gurel H, Kara M, Sertoglu E, **Tapan S**, Bagci S, Rizzo M, Sonmez A. **Metab Syndr Relat Disord.** 2015;13(7):319-25.
- 6) Proper assessment of leptin results with confounders. Sertoglu E, **Tapan S.** **Scand J Clin Lab Invest.** 2015;75(5):438-9.
- 7) Freezing of Apheresis Platelet Concentrates in 6% Dimethyl Sulfoxide: The First Preliminary Study in Turkey. Yılmaz S, Çetinkaya RA, Eker İ, Ünlü A, Uyanık M, **Tapan S**, Pekoğlu A, Pekel A, Erkmen B, Muşabak U, Yılmaz S, Avcı İY, Avcu F, Kürekçi E, Eyigün CP. **Turk J Haematol.** 2016;33(1):28-33.
- 8) Selection criteria for patients with non-alcoholic fatty liver disease and diabetes mellitus to achieve reliable results. **Tapan S**, Sertoglu E, Kayadibi H, Uyanık M. **Climacteric.** 2015;18(2):329.
- 9) Assessing vitamin D status in infants with very low birth weight. **Tapan S**, Sertoglu E. **J Matern Fetal Neonatal Med.** 2016;29(3):504.
- 10) Assessment of the neutrophil to lymphocyte ratio in inactive hepatitis B carriers. **Tapan S.** **Eur J Gastroenterol Hepatol.** 2015;27(2):184-5.
- 11) Erythrocyte membrane fatty acids may be superior to plasma fatty acids in patients with type 2 diabetes. Sertoglu E, Uyanık M, Kayadibi H, **Tapan S.** **Metabolism.** 2015;64(4):1-2.
- 12) Use of proper diagnostic methods will provide more reliable results. Sertoglu E, Uyanık M, Kayadibi H, **Tapan S.** **Steroids.** 2015;96:169.
- 13) Low and high-density lipoprotein subclasses in subjects with nonalcoholic fatty liver disease. Sonmez A, Nikolic D, Dogru T, Ercin CN, Genc H, Cesur M, **Tapan S**, Karslioğlu Y, Montalto G, Banach M, Toth PP, Bagci S, Rizzo M. **J Clin Lipidol.** 2015;9(4):576-82.
- 14) Paraoxonase 1 Activity and Survival in Sepsis Patients. İnal V, Yamanel L, Taşkın G, **Tapan S**, Cömert B. **Balkan Med J.** 2015;32(2):183-8.
- 15) Body mass index and ghrelin levels after laparoscopic Nissen fundoplication. Yigit T, Coskun AK, Harlak A, Sinan H, Unlu A, **Tapan S**, Lapsekili E, Kozak O. **Langenbecks Arch Surg.** 2015;400(5):585-8.
- 16) Important details while assessing leptin results. Sertoglu E, Uyanık M, **Tapan S.** **Eur Rev Med Pharmacol Sci.** 2015;19(10):1747-8.
- 17) The relationship of circulating fetuin-a with liver histology and biomarkers of systemic inflammation in nondiabetic subjects with nonalcoholic fatty liver disease. Celebi G, Genc H, Gurel H, Sertoglu E, Kara M, **Tapan S**, Acikel C, Karslioglu Y, Ercin CN, Dogru T. **Saudi J Gastroenterol.** 2015;21(3):139-45.
- 18) Endothelial dysfunction, insulin resistance and inflammation in congenital hypogonadism, and the effect of testosterone replacement. Sonmez A, Haymana C, Aydogdu A, **Tapan S**, Basaran Y, Meric C, Baskoy K, Dinc M, Yazici M, Taslipinar A, Barcin C, Yılmaz MI, Bolu E, Azal O. **Endocr J.** 2015;62(7):605-13.
- 19) Important details about the red cell distribution width. Sertoglu E, **Tapan S**, Uyanık M. **J Atheroscler Thromb.** 2015;22(2):219-20.
- 20) Importance of C-3 epimer of 25-hydroxyvitamin D in dried blood spots of neonatal population. **Tapan S**, Sertoglu E, Uyanık M. **Int J Cancer.** 2015;137(3):750.

- 21) The effect of relaparotomy timing on wound healing in an animal model. Akinci M, Ergul Z, Kantarcioglu M, **Tapan S**, Ozler M, Gunal A, Kulacoglu H, Ide T, Sayal A, Eryilmaz M, Kozak O. **Int J Surg.** 2014;12(12):1434-8.
- 22) Comparison of blood gas, electrolyte and metabolite results measured with two different blood gas analyzers and a core laboratory analyzer. Uyanik M, Sertoglu E, Kayadibi H, **Tapan S**, Serdar MA, Bilgi C, Kurt I. **Scand J Clin Lab Invest.** 2015 Apr;75(2):97-105.
- 23) Key points on the use of neutrophil to lymphocyte ratio to predict mortality in patients listed for liver transplantation. **Tapan S**, Sertoglu E. **Liver Int.** 2015;35(6):1774.
- 24) Importance of confounding factors in assessing fatty acid compositions in patients with non-alcoholic steatohepatitis. **Tapan S**, Sertoglu E. **Liver Int.** 2015;35(6):1772.
- 25) Osteoprotegerin, fibroblast growth factor 23, and vitamin D3 levels in male patients with hypogonadism. Meric C, Sonmez A, Aydogdu A, **Tapan S**, Haymana C, Basaran Y, Baskoy K, Sertoglu E, Taslipinar A, Bolu E, Azal O. **Horm Metab Res.** 2014;46(13):955-8.
- 26) Serum dipeptidyl peptidase-IV: a better screening test for early detection of mucopolysaccharidosis? Kurt I, Sertoglu E, Okur I, **Tapan S**, Uyanik M, Kayadibi H, Ezgu FS, Aydın HI, Hasanoglu A. **Clin Chim Acta.** 2014 Apr 20;431:250-4.
- 27) Comparison of plasma and erythrocyte membrane fatty acid compositions in patients with end-stage renal disease and type 2 diabetes mellitus. Sertoglu E, Kurt I, **Tapan S**, Uyanik M, Serdar MA, Kayadibi H, El-Fawaeir S. **Chem Phys Lipids.** 2014;178:11-7.
- 28) Basal and meal-stimulated ghrelin, PYY, CCK levels and satiety in lean women with polycystic ovary syndrome: effect of low-dose oral contraceptive. Arusoglu G, Koksall G, Cinar N, **Tapan S**, Aksoy DY, Yildiz BO. **J Clin Endocrinol Metab.** 2013 ;98(11):4475-82.
- 29) Traditional coronary risk factors in healthy Turkish military personnel between 20 and 50 years old: focus on high-density lipoprotein cholesterol. Barçın C, Kabul HK, **Tapan S**, Küçük U, Cöl M. **Anadolu Kardiyol Derg.** 2013;13(6):552-8.
- 30) Association of plasma visfatin with hepatic and systemic inflammation in nonalcoholic fatty liver disease. Genc H, Dogru T, Kara M, **Tapan S**, Ercin CN, Acikel C, Karslioglu Y, Bagci S. **Ann Hepatol.** 2013;12(4):548-55.
- 31) HDL cholesterol subfractions and the effect of testosterone replacement in hypogonadism. Bolu E, Sonmez A, **Tapan S**, Taslipinar A, Aydogdu A, Meric C, Basaran Y, Uckaya G, Serdar M, Kurt I, Azal O. **Horm Metab Res.** 2013;45(6):443-8.
- 32) Ovarian reserve testing before and after laparoscopic tubal bipolar electrodesiccation and transection. Ercan CM, Sakinci M, Coksuer H, Keskin U, **Tapan S**, Ergun A. **Eur J Obstet Gynecol Reprod Biol.** 2013;166(1):56-60.
- 33) Increase in subcutaneous adipose tissue and fat free mass in women with polycystic ovary syndrome is related to impaired insulin sensitivity. Aydogdu A, Tasci I, Kucukerdonmez O, **Tapan S**, Aydogdu S, Aydogan U, Sonmez A, Yazici M, Azal O. **Gynecol Endocrinol.** 2013;29(2):152-5.
- 34) Plasma fetuin-A is associated with endothelial dysfunction and subclinical atherosclerosis in subjects with nonalcoholic fatty liver disease.
- 35) Dogru T, Genc H, **Tapan S**, Aslan F, Ercin CN, Ors F, Kara M, Sertoglu E, Karslioglu Y, Bagci S, Kurt I, Sonmez A. **Clin Endocrinol (Oxf).** 2013;78(5):712-7.
- 36) Alpha fetoprotein levels and its relationship with histopathological findings in patients with non-alcoholic fatty liver disease. Kara M, Genc H, **Tapan S**, Meral C, Ercin CN, Erdal M, Dogru T. **Eur Rev Med Pharmacol Sci.** 2013;17(11):1536-41.
- 37) Premature atherosclerosis in children with β -thalassemia major. Gursel O, Kurekci AE, Tascilar E, Ileri T, Altun D, **Tapan S**, Kurt I, Kocaoglu M, Aydin A, Okutan V, Ozcan O. **J Pediatr Hematol Oncol.** 2012;34(8):630-4.

- 38) Efficacy of serum chitotriosidase activity in early treatment of patients with active tuberculosis and a negative sputum smear. Tasci C, **Tapan S**, Ozkaya S, Demirer E, Deniz O, Balkan A, Ozkan M, Inan I, Kurt I, Bilgic H. **Ther Clin Risk Manag.** 2012;8:369-72.
- 39) Comparison of 8-hydroxy-2'-deoxyguanosine (8-OHdG) levels using mass spectrometer and urine albumin creatinine ratio as a predictor of development of diabetic nephropathy. Serdar M, Sertoglu E, Uyanik M, **Tapan S**, Akin K, Bilgi C, Kurt I. **Free Radic Res.** 2012;46(10):1291-5.
- 40) A macrophage activation marker chitotriosidase in women with PCOS: does low-grade chronic inflammation in PCOS relate to PCOS itself or obesity? Alanbay I, Ercan CM, Sakinci M, Coksuer H, Ozturk M, **Tapan S.** **Arch Gynecol Obstet.** 2012;286(4):1065-71.
- 41) Women with polycystic ovary syndrome have increased plasma chitotriosidase activity: a pathophysiological link between inflammation and impaired insulin sensitivity? Aydogdu A, Tasci I, **Tapan S**, Sonmez A, Aydogan U, Akbulut H, Uckaya G, Aydogdu S, Basaran Y, Meric C, Taslipinar A, Kurt I, Azal O. **Exp Clin Endocrinol Diabetes.** 2012 ;120(5):261-5.
- 42) The relationship of epicardial adipose tissue thickness to clinical and biochemical features in women with polycystic ovary syndrome. Aydogdu A, Uckaya G, Tasci I, Baysan O, **Tapan S**, Bugan B, Serdar M, Akbulut H, Aydogan U, Sonmez A, Aydogdu S, Kutlu M. **Endocr J.** 2012;59(6):509-16.
- 43) Can serum gamma-glutamyltransferase levels be useful at diagnosing gestational diabetes mellitus? Alanbay I, Coksuer H, Ercan M, Keskin U, Karasahin E, Ozturk M, **Tapan S**, Ozturk O, Kurt I, Ergun A. **Gynecol Endocrinol.** 2012;28(3):208-11.
- 44) Lower plasma soluble TWEAK concentration in patients with newly diagnosed hypertension. Karadurmus N, **Tapan S**, Cakar M, Naharci I, Celik T, Tasci I, Sayin S, Dogan T, Turker T, Erbil MK, Saglam K. **Clin Invest Med.** 2012;35(1):E20-6.
- 45) High plasma level of long Pentraxin 3 is associated with insulin resistance in women with polycystic ovary syndrome. Aydogdu A, Tasci I, **Tapan S**, Basaran Y, Aydogan U, Meric C, Sonmez A, Aydogdu S, Akbulut H, Taslipinar A, Uckaya G, Azal O. **Gynecol Endocrinol.** 2012;28(9):722-5.
- 46) Elevated asymmetric dimethylarginine in plasma: an early marker for endothelial dysfunction in non-alcoholic fatty liver disease? Dogru T, Genc H, **Tapan S**, Ercin CN, Ors F, Aslan F, Kara M, Sertoglu E, Bagci S, Kurt I, Sonmez A. **Diabetes Res Clin Pract.** 2012;96(1):47-52.
- 47) Soluble CD40 ligand, soluble P-selectin and von Willebrand factor levels in subjects with prediabetes: the impact of metabolic syndrome. Genc H, Dogru T, **Tapan S**, Tasci I, Bozoglu E, Gok M, Aslan F, Celebi G, Erdem G, Avcu F, Ural AU, Sonmez A. **Clin Biochem.** 2012 ;45(1-2):92-5.
- 48) Evaluation of adipocytokines in obese children with insulin resistance. Taşçılar ME, Cekmez F, Meral C, Pirgon O, Tanju IA, Canpolat FE, Abaci A, **Tapan S**, Eker I. **Turk J Pediatr.** 2011;53(3):269-73.
- 49) Circulating vaspin and its relationship with insulin sensitivity, adiponectin, and liver histology in subjects with non-alcoholic steatohepatitis. Genc H, Dogru T, **Tapan S**, Kara M, Ercin CN, Aslan F, Kantarcioglu M, Karslioglu Y, Sertoglu E, Erbil MK, Bagci S. **Scand J Gastroenterol.** 2011;46(11):1355-61.
- 50) Metabolic syndrome and the effect of testosterone treatment in young men with congenital hypogonadotropic hypogonadism. Sonmez A, Haymana C, Bolu E, Aydogdu A, **Tapan S**, Serdar M, Altun B, Barcin C, Taslipinar A, Meric C, Uckaya G, Kutlu M. **Eur J Endocrinol.** 2011;164(5):759-64.
- 51) Comment on: Jones et al. Testosterone replacement in hypogonadal men with type 2 diabetes and/or metabolic syndrome (the TIMES2 Study). *Diabetes Care* 2011;34:828-837. Sonmez A, Taslipinar A, **Tapan S**, Serdar MA. **Diabetes Care.** 2011;34(11):e172;
- 52) Hyperuricemia in non-alcoholic fatty liver disease. Dogru T, Genc H, **Tapan S**, Bagci S. **Aliment Pharmacol Ther.** 2011;34(8):1042-3;
- 53) Non-invasive prediction of fibrosis in non-alcoholic fatty liver disease. Dogru T, Genc H, Ercin CN, **Tapan S.** **J Hepatol.** 2011;55(2):498-9.

- 54) Determination of 5-fluorouracil and dihydrofluorouracil levels by using a liquid chromatography-tandem mass spectrometry method for evaluation of dihydropyrimidine dehydrogenase enzyme activity. Serdar MA, Sertoğlu E, Uyanık M, **Tapan S**, Akın O, Cihan M. **Cancer Chemother Pharmacol.** 2011 Aug;68(2):525-9.
- 55) Decreased small dense LDL levels in Gilbert's syndrome. **Tapan S**, Karadurmus N, Dogru T, Ercin CN, Tasci I, Bilgi C, Kurt I, Erbil MK. **Clin Biochem.** 2011;44(4):300-3.
- 56) Decreased plasma apelin levels in pubertal obese children. **Tapan S**, Tascilar E, Abaci A, Sonmez A, Kilic S, Erbil MK, Ozcan O. **J Pediatr Endocrinol Metab.** 2010;23(10):1039-46.
- 57) Chitotriosidase activity predicts endothelial dysfunction in type-2 diabetes mellitus. Sonmez A, Haymana C, **Tapan S**, Safer U, Celebi G, Ozturk O, Genc H, Dogru T, Tasci I, Erdem G, Taslipinar A, Aydogdu A, Yilmaz MI, Kurt I, Kutlu M. **Endocrine.** 2010 ;37(3):455-9.
- 58) Mean platelet volume and its relationship with carotid atherosclerosis in subjects with non-alcoholic fatty liver disease. Kilciler G, Genc H, **Tapan S**, Ors F, Kara M, Karadurmus N, Ercin CN, Karslioglu Y, Kilic S, Bagci S, Erbil MK, Dogru T. **Ups J Med Sci.** 2010;115(4):253-9.
- 59) The accuracy of home glucose meters in hypoglycemia. Sonmez A, Yilmaz Z, Uckaya G, Kilic S, **Tapan S**, Taslipinar A, Aydogdu A, Yazici M, Yilmaz MI, Serdar M, Erbil MK, Kutlu M. **Diabetes Technol Ther.** 2010;12(8):619-26.
- 60) Circulating levels of interleukin-18 in patients with non-alcoholic fatty liver disease. **Tapan S**, Dogru T, Kara M, Ercin CN, Kilciler G, Genc H, Sertoglu E, Acikel C, Kilic S, Karslioglu Y, Kurt I, Erbil MK. **Scand J Clin Lab Invest.** 2010;70(6):399-403.
- 61) Plasma apelin and ADMA Levels in patients with essential hypertension. Sonmez A, Celebi G, Erdem G, **Tapan S**, Genc H, Tasci I, Ercin CN, Dogru T, Kilic S, Uckaya G, Yilmaz MI, Erbil MK, Kutlu M. **Clin Exp Hypertens.** 2010;32(3):179-83.
- 62) Plasma apelin levels in subjects with nonalcoholic fatty liver disease. Ercin CN, Dogru T, **Tapan S**, Kara M, Haymana C, Karadurmus N, Karslioglu Y, Acikel C. **Metabolism.** 2010 ;59(7):977-81.
- 63) Evaluation of breast enlargement in young males and factors associated with gynecomastia and pseudogynecomastia. Yazici M, Sahin M, Bolu E, Gok DE, Taslipinar A, **Tapan S**, Torun D, Uckaya G, Kutlu M. **Ir J Med Sci.** 2010;179(4):575-83.
- 64) Levels of soluble CD40 ligand and P-Selectin in nonalcoholic fatty liver disease. Ercin CN, Dogru T, **Tapan S**, Karslioglu Y, Haymana C, Kilic S, Sonmez A, Yesilova Z, Uygun A, Gulsen M, Bagci S, Kemal Erbil M. **Dig Dis Sci.** 2010;55(4):1128-34.
- 65) The relationship of plasma adiponectin with liver fibrosis in morbid obesity. Dogru T, Karadurmus N, Kilciler G, **Tapan S**, Ercin CN. **Obes Surg.** 2010;20(10):1462;
- 66) Comment and reply on: Serum chemerin and vaspin in non-alcoholic fatty liver disease. Dogru T, Karadurmus N, **Tapan S**, Genc H. **Scand J Gastroenterol.** 2010;45(7-8):1000-1.
- 67) Circulating adiponectin levels in post-menopausal women with and without osteoporosis. **Tapan S**, Dogru T, Sonmez A, Kurt I, Erbil MK. **Clin Biochem.** 2010;43(7-8):705.
- 68) Soluble CD40 ligand and soluble P-selectin levels in Gilbert's syndrome: a link to protection against atherosclerosis?. **Tapan S**, Dogru T, Tasci I, Ercin CN, Ozgurtas T, Erbil MK. **Clin Biochem.** 2009;42(9):791-5.
- 69) Relationship between hemoglobin and CD40 ligand in prediabetes. Kutlu M, Sonmez A, Genc H, Erdem G, **Tapan S**, Celebi G, Haymana C, Taslipinar A, Uckaya G, Erbil MK. **Clin Invest Med.** 2009;32(6):244.
- 70) Vaspin and its correlation with insulin sensitivity indices in obese children. Suleymanoglu S, Tascilar E, Pirgon O, **Tapan S**, Meral C, Abaci A. **Diabetes Res Clin Pract.** 2009;84(3):325-8.
- 71) Increased circulating Asymmetric Dimethylarginine (ADMA) levels in the active stage of Behçet's Syndrome. Terekeci HM, Nalbant S, Ozgurtas T, Celik S, **Tapan S**, Sanisoglu YS, Sahan B, Sayan O, Kucukardali Y, Top C, Oktenli C. **Akt Rheumatol** 2009; 34, 121-125.

- 72) LDL-cholesterol lowering increases plasma apelin in isolated hypercholesterolemia. Tasci I, Erdem G, Ozgur G, **Tapan S**, Dogru T, Genc H, Acikel C, Ozgurtas T, Sonmez A. **Atherosclerosis. 2009;204(1):222-8.**
- 73) The relation of ADMA and apelin to endothelial dysfunction and angiogenesis in patients with type 2 diabetes mellitus. Tasci I, Erdem G, **Tapan S. Diabetes Res Clin Pract. 2009;86(2):37-8.**
- 74) Adipocytokine levels in nonalcoholic fatty liver disease. Dogru T, Ercin CN, **Tapan S**, Kantarcioglu M, Kara M, Bagci S. **Hepatology. 2009;50(1):326-7.**
- 75) Orlistat for overweight subjects with nonalcoholic steatohepatitis. Dogru T, Ercin CN, Tasci I, **Tapan S**, Yesilova Z, Uygun A. **Hepatology. 2009;49(6):2127.**
- 76) Adipocytokine levels in chronic pancreatitis. Ercin CN, Dogru T, Erdem G, Tasci I, Sonmez A, **Tapan S. Pancreas. 2009;38(4):470-1.**
- 77) Serum adipokine levels in the obese people. Tasci I, Dogru T, Erdem G, **Tapan S**, Ercin CN, Sonmez A. **Int J Biol Sci. 2009;5(3):286.**
- 78) Insulin resistance in prediction of esophageal varices. Dogru T, Ercin CN, **Tapan S**, Polat Z, Gulsen M, Bagci S. **Hepatology. 2009;49(5):1775-6.**
- 79) NASH and cardiovascular biomarkers. Ercin CN, Dogru T, Tasci I, Erdem G, Sonmez A, **Tapan S. Obesity (Silver Spring). 2009;17(4):627.**
- 80) Adiponectin levels in patients undergoing coronary stenting. **Tapan S**, Dogru T, Tasci I, Ercin CN, Erbil MK. **Clin Biochem. 2009;42(6):544-5.**
- 81) The hepatic apelin system: a new therapeutic target for liver disease. Dogru T, Nuri Ercin C, Erdem G, Kilciler G, **Tapan S. Hepatology. 2009;49(3):1055.**
- 82) Increased asymmetric dimethylarginine levels in young men with familial Mediterranean fever (FMF): is it early evidence of interaction between inflammation and endothelial dysfunction in FMF? Terekci HM, Oktenli C, Ozgurtas T, Nalbant S, Top C, Celik S, **Tapan S**, Kucukardali Y, Sanisoglu YS, Solmazgul E, Sahan B, Sayan O. **J Rheumatol. 2008;35(10):2024-9.**
- 83) The effects of pioglitazone and metformin on plasma visfatin levels in patients with treatment naive type 2 diabetes mellitus. Erdem G, Dogru T, Tasci I, Bozoglu E, Muhsiroglu O, **Tapan S**, Ercin CN, Sonmez A. **Diabetes Res Clin Pract. 2008;82(2):214-8.**
- 84) Low plasma apelin levels in newly diagnosed type 2 diabetes mellitus. Erdem G, Dogru T, Tasci I, Sonmez A, **Tapan S. Exp Clin Endocrinol Diabetes. 2008;116(5):289-92.**
- 85) Metformin and oral contraceptive treatments reduced circulating asymmetric dimethylarginine (ADMA) levels in patients with polycystic ovary syndrome (PCOS). Ozgurtas T, Oktenli C, Dede M, **Tapan S**, Kenar L, Sanisoglu SY, Yesilova Z, Yenen MC, Erbil MK, Baser I. **Atherosclerosis. 2008;200(2):336-44.**
- 86) Bilberry inhibits angiogenesis in chick chorioallantoic membrane. Ozgurtas T, Aydin I, **Tapan S**, Avci O, Erbil MK. **Biofactors. 2008;33(3):161-4.**
- 87) Increased hepatic and circulating interleukin-6 levels in human nonalcoholic steatohepatitis. Dogru T, Ercin CN, Erdem G, Sonmez A, **Tapan S**, Tasci I. **Am J Gastroenterol. 2008;103(12):3217-8.**
- 88) Rosiglitazone for nonalcoholic steatohepatitis. Dogru T, Ercin CN, Erdem G, **Tapan S**, Tasci I, Sonmez A. **Gastroenterology. 2008;135(6):2156.**
- 89) Nonalcoholic steatohepatitis is frequently accompanied by metabolic diseases. Dogru T, Ercin CN, Erdem G, Tasci I, Sonmez A, **Tapan S. Hepatology. 2008;48(5):1728.**
- 90) Effects of non-heavy smoking on high-density lipoprotein cholesterol in healthy Turkish young men. Barcin C, **Tapan S**, Kursaklioglu H, Iyisoy A, Olcay A, Erbil MK, Isik E. **Acta Cardiol. 2006;61(4):411-5.**
- 91) Effect of Macro-Creatine Kinase and Increased Creatine Kinase BB on the Rapid Diagnosis of Patients with Suspected Acute Myocardial Infarction in the Emergency Department Kutluay T., Serdar MA., Tokgoz S., Metinyurt G., **Tapan S.**, Erinc K., Hasimi A., Kenar L., Bilgi C. **Military Medicine, 2005; 170 (8), 648-652.**

- 92) Sellüloz asetat ve agaroz Jel Elektroforez yöntemleri ile saptanan oligoklonal bantın (OKB) Multipl Skleroz tanısındaki yeri. Serdar, MA., Özdağ, F., Özgürtaş, T., Özçelik, B., Ulaş, UH., **Tapan S.**, Kutluay, T. **Türk Biyokimya Dergisi, 2001, 26, 55-60.**
- 93) Serbest eritrosit protoporfirin ile demir eksikliğinin değerlendirilmesi Serdar MA., Ceylan S., Kurt İ., Akkan T., Özgürtaş T., Türkmen YH., Olgun A., **Tapan S.**, Kutluay T. **Türk Biyokimya Dergisi; 2000,25, 99-103.**
- 94) İmmünoinhibisyon kreatin kinaz MB aktivite ölçümünün yanlış değerlendirilmesi: Tip I, Tip II makro CK ve CK BB. Serdar MA., **Tapan S.**, Türkmen Y., Onur İ., Yaman H., Tokgöz S., Özgürtaş T., Kutluay T. **Türk Biyokimya Dergisi, 2000; 25, 5-10.**

2- SCI-Expanded (Science Citation Index-expanded), dışındaki uluslararası indeksler tarafından taranan dergilerde yayınlanan makaleler

- 1) Transforming growth factor β (TGF- β) levels in otherwise healthy subjects with impaired glucose tolerance. Genc H, Karadurmus N, Kisa U, **Tapan S**, Naharci I, Sonmez A, Dogru T. **Endokrynol Pol. 2010;61(6):691-4.**
- 2) Sialic acid content of low-density lipoprotein in hemodialysis patients. Serdar MA., Yilmaz K., Gunaydin A., **Tapan S.**, Caglar K., Yaman H., Ozgurtas T., Kutluay T. **Dialysis and Transplantation 2002;31,97-105.**

3- Ulusal dergilerde yayımlanan makaleler

- 1) Influences of Treatment with Amlodipine and Valsartan on Bone Turnover Markers and OPG/RANKL/RANK System in Newly Diagnosed Hypertensive Adults; Which is more Beneficial? Naharci MI., Karaman M., Ay SA., **Tapan S.**, Tasci I., Safer U., Karadurmus N., Bozoglu E., Doruk H., Kurt I., Cakar M., Dınc M. **Türk Neph Dial Transpl 2014; 23 (1): 40-45**
- 2) Non-alcoholic fatty liver disease per se is not associated with carotid atherosclerosis. Genc H., Dogru T., Celebi G., **Tapan S.**, Kara M., Ercin CN., Ors F., Acikel C., Sakin YS., Demirci H., Gurel H., Bagci S.. **Gulhane Medical Journal, 2013; 55(2):84-88.**
- 3) The Relationship Between Coronary Artery Disease and Undiagnosed Glucose Metabolism Disorders in Patients who Have Undergone Angiography. Akbulut H., Aydogdu A., Aydogan U., Barcin C., **Tapan S.**, Doganer YC., Turker T., Cayci T., Isik E., Kursatlioglu H., Saglam K. **Turkish Journal of Endocrinology and Metabolism 2013; 17: 111-115**
- 4) Preoperatif Biyokimyasal Testlerin Elektif Cerrahi Hastalarında Etkin kullanımı. **Tapan S.**, Kayadibi H. **Anestezi Dergisi 2012;20, 22-26.**
- 5) The comparison of maternal body mass index and weight gain with maternal biochemical parameters and fetal birth weight in patients with gestational diabetes mellitus. Alanbay İ., Çoksüer H., Ercan CM., Keskin U., Öztürk M, Karaşahin KE, **Tapan S**, Başer İ. **Gulhane Medical Journal, 2011; 53(4):237-242.**
- 6) The amniotic membrane's hydroxyproline content and preterm premature rupture of membranes. Saglam A., Derwig I., Kasap B., Mungan T., **Tapan S.**, Unlu BS. **Türkiye Klinikleri Tıp Bilimleri Dergisi 2011;31, 615-620.**

- 7) Caroli's Syndrome Associated with Medullary Sponge Kidney: A Case Report and Review of The Literature"., Naharci I., Erdem G., Ercin CN., Dogru T., Tasci I., Örs F., **Tapan S.**, Sonmez A. **Firat Tıp Dergisi 2009;14, 216-218.**
- 8) Bevakizumab ve pegaptanip sodyum'un civciv koryoallantoik membrandaki in vivo anjiyogenez üzerine etkisi. Durukan AH., Özgürtaş, T., Erbil, MK., Aydın, I., Mumcuoğlu, T., **Tapan S.**, Karagül, S. **Gülhane Tıp Dergisi, 2008; 50, 19-22.**
- 9) Circulating Von Willebrand factor levels in patients with prediabetes. Erdem G., Genc H., **Tapan S.**, Ercin CN., Tasci I., Dogru T., Sonmez A. **Türkiye Klinikleri J Med Sci. 2008; 28, 822-827.**
- 10) Therapeutic lifestyle change intervention in metabolic syndrome decreases plasma visfatin levels. Erdem G., Naharci MI., Demirtas A., Ercin CN., **Tapan S.**, Tasci I., Doğru T., Sonmez A. **Anatolian Journal of Clinical Investigation. 2008; 2, 58-62.**
- 11) Respiratory distress, constipation and acute myocardial infarction in association with Chiladiti's Syndrome: A case report. Ercin CN., Erdem G., Tasci I., Dogru T., Sonmez A., Naharci, I., **Tapan S.**, Ors F. **Anatolian Journal of Clinical Investigation. 2008; 2, 167-170.**
- 12) Matriks Metalloproteinaz-9 Ekspresyonunun Preterm Prematür Membran Rüptürü ile İlişkinin İncelenmesi. Sağlam A., Ünlü BS., Mungan T., İskender C., Mısırlıoğlu M., Cantürk F., Koç E., **Tapan S.** **Türkiye Klinikleri Jinekoloji ve Obstetrik Dergisi, 2006; 16, 229-233.**
- 13) Genç Erkek Obez olgularda insülin resistansı ve inflamatuvar belirteçler. Arslan E., **Tapan S.**, Barçın C., Atlı Y., Olcay A., Ercin CN. **MN Dahili Tıp Bilimleri. 2006; 1, 164-167.**
- 14) Türkiye'de sağlıklı genç erişkin erkeklerde koroner risk faktörlerinin incelenmesi: Kesitsel bir analiz. Barçın, C., **Tapan S.**, Kurşaklıoğlu, H., İyisoy A., Köse S., Kılıç S., Işık E. **Türk Kardiyol Dern Arş. 2005; 33, 96-103.**

4-A-Özeti uluslararası kongre veya sempozyumlarda sunulan bildiriler

71 adet

4-B- Özeti Ulusal kongre ve sempozyumlarda kongre veya sempozyumlarda sunulan bildiriler

64 adet

5-Ulusal kongrelerde yapılan konuşmalar

- a) **Tapan, S.**, "Hamilelik ve Postpartum dönemde Tiroid Disfonksiyonları" **Klinik Biyokimya Uzmanları Derneği Uluslararası Katılımlı Kongre ve Lab Expo 2013, 24-28 Eylül 2013 Antalya**, Türkiye (Davetli konuşmacı).
- b) **Tapan, S.**, "Alkolik olmayan Yağlı Karaciğer Hastalığı patogenezinde adipokinlerin rolü" **24. Ulusal Biyokimya Kongresi, 25-28 Eylül 2012, Konya**, Türkiye. (Davetli konuşmacı).
- c) **Tapan, S.**, "Yağ dokusu ve adipokinler" **22. Ulusal Biyokimya Kongresi, 27-30 Ekim 2010, Eskişehir**, Türkiye. (Davetli konuşmacı).

- d) Tapan, S., "Merkez Laboratuvarlarında LIS Uygulamaları ve HIS ile Entegrasyonu" Klinik Biyokimya Uzmanları Derneği 5. Ulusal Kongresi, 11-15 Ocak 2009 Bursa, Türkiye (Davetli konuşmacı).**

6- Ulusal kongre ve sempozyumlarda verdiği kurslar

- a) Tapan, S., "LC-MS-MS Yöntem Validasyonu"**
Kurs adı: Klinik Laboratuvarlarda LC-MS-MS Deneyimlerinin paylaşımı ve LC-MS-MS Uygulamaları **Türk Klinik Biyokimya Derneği, 10-11 Nisan 2015 Ankara, Türkiye.**
- b) Tapan, S., "Porfiriyada Tanıya Giden yol"**
Kurs adı: İzmir'de Porfiri Rüzgarı
Türk Çocuk Gastroenteroloji, Hepatoloji ve Beslenme Derneği, 28 Şubat- 1 Mart 2015 İzmir, Türkiye.
- c) Tapan, S., "LC-MS-MS Metod Geliştirme ve Validasyonu Nasıl Yapılır"**
Kurs adı: Kütle Spektrofotometresi ve Klinik Laboratuvarlardaki Kullanımı
Klinik Biyokimya Uzmanları Derneği Uluslararası Katılımlı Kongre ve Lab Expo 2014, 16-20 Eylül 2014 İzmir, Türkiye.

7- Katıldığı kurslar

- a) Development and Validation of Quantitative LC-MS/MS Assays for Use in Clinical Diagnostics Mass Spectrometry: Applications to the Clinical Lab (MSACL) 2015, 28-29 March 2015; San Diego, USA.**
- b) 8. Bilimsel Araştırmalarda Hayvan Kullanım Kursu. 17-28 Şubat 2014 GATA Hayvan Deneyleti Etik Kurul Başkanlığı Ankara Türkiye.**
- c) Kalite Kılavuzları Temelinde Laboratuvar Hesaplamaları ve Değerlendirmeleri Kursu. 11-12 Mayıs 2012 Gazi Üniversitesi Ankara Türkiye.**
- d) 1.Klinik Enzimoloji Çalıştayı. Türk Biyokimya Derneği, 22 Nisan 2005 Antalya Türkiye.**

8- Katıldığı yurtiçi ve yurtdışı kongreler

- a) Mass Spectrometry: Applications to the Clinical Lab (MSACL) 2015, 28 March-1 April 2015; San Diego, USA.**
- b) 21st IFCC-EFLM European Congress of Clinical Chemistry and Laboratory Medicine 21-25 June 2015 Paris, France**
- c) Klinik Biyokimya Uzmanları Derneği Uluslararası Katılımlı Kongre ve Lab Expo 2014, 16-20 Eylül 2014 İzmir, Türkiye.**
- d) 22nd International Congress of Clinical Chemistry and Laboratory Medicine (IFCC-Worldlab 2014) 22-26 June 2014 İstanbul Turkey.**